

T3S - R1W 2<sup>nd</sup> Mer.

				95		94		94			
6	90	5	91	4	92	3	92	2	94	1	69
90		91		91		92		93		94	
7	90	8	87	9	85	10	84	11	93	12	69
89		87-89		85-86		84-85		82-84		82	
18	89	17	86	16	84	15	83	14	82	13	69
88		87-88		85-86		84-95		83-95		81	
19	88	20	86	21	95	22	83	23	81	24	70
75		75		77-80		78-79		79-80		81	
30	74	29	76	28	76	27	78	26	80	25	70
73		74-77		75		77-78		79-80		80	
31	73	32	74	33	73	34	77	35	77	36	70
72		72-95		71-72		71-72		71-72		71-73	

T4S - R1W 2<sup>nd</sup> Mer.

				119		121					
6	121	5	119	4	123	3	120	2	122	1	
120		119-121		119-121		118-122		118-122		118	97-118
7	120	8	114	9	116	10	117	11	117	12	97
119		111-114		115		116		117		107	
18	114	17	111	16	115	15	116	14	107	13	97
113		111-113		110-111		108-109		107-108		102	
19	113	20	110	21	109	22	106	23	102	24	103-97
112		112		110		108-109		108		101	
30	112	29	110	28	109	27	106	26	101	25	103-98
105		104		104		123		106		101	
31	105	32	104	33	103	34	103	35	100	36	103-98
100		100		100		99		99		99	103-98

Meandering 98.

69

Township N<sup>o</sup> 3 South of Range N<sup>o</sup> 1 West 2<sup>nd</sup> Mer.

East Boundary

South East Boundary of Sec. 1. T. 3. S. R. 1. W.  
 27. 28 Hickory 28 inches diam?  
 31. 75. Brook 10 links wide Course W.  
 35 65 W. Walnut 26 inches diam?  
 40. 60 Put Quarter Sec. post at Birch 10. S. 25. W. 49. links  
 A Birch 12 et. 24. W. 18. lks.  
 42. 25. Poplar 46 inches diam?  
 67. 50 Creek 100 links wide Course et. W.  
 78. 40 Gum 16. inches diam?  
 80. 60 Put post Corner of Sec. 1. & 12. T. 3. S. R. 1. W.  
 A Sugar tree 18 inches S. 46. W. 39. Sugar 18. et. 57. E. 20.  
 links. This mile Birch. Oak & Poplar & Sugar tree  
 timber. ridges. mulling soil.

South East Boundary Sec 12. T. 3. S. R. 1. W.  
 14. 75 Poplar 46 inches diam?  
 24. 25 Brook 6. links wide, Course W.  
 46. 60 Quarter Sec. post. at Birch 15 inches. et. 22 W. 48.  
 A Birch 15. S. 67. W. 28. lks.  
 60 26 Birch 14 inches diam?  
 72 50 Brook 12 links wide, Course W.  
 80. 60 Post Corner of Sec. 12. & 13. T. 3. S. R. 1. W.  
 A W. Oak 14. S. 43. W. 31. a W. Oak 12 A. 37. W. 26 lks  
 This mile Birch. Oak Poplar & Sugar. hills. Stony soil

South East Boundary Sec. 13. T. 3. S. R. 1. W.  
 8. 25 Poplar 16 inches diam?  
 11. 50 Brook 6. links wide, Course W.  
 19. 95 B. Oak 12 inches diam?  
 28. 12 Birch 12 inches diam?  
 40. 60 Quarter Sec. Corner a B. Oak 14. S. 52. W. 33. lks  
 W. Oak 18 S. 53. E. 4. lks.  
 51. 50 Brook 100 links wide, Course S. E.  
 63. 10 Elm 26 inches diam?  
 67. 60 Creek 150 links wide. Course S. W.

T. N° 3 S. R. N° 1. W. 2<sup>nd</sup> Mer.

80. 00	Corner Secs. 13. & 24. T. 3. S. R. 1. W. Ironwood 9 S. 87. W. 6. Sugar tree 9. S. 80 E. 18. This mile near Creek. Steep Rocky points of hills. Timber Birch. Oak & Sugar.
South 28. 50	East Boundary Sec. 24. T. 3. S. R. 1. W. W. Oak 24 inches diam <sup>r</sup> .
35. 00	Creek Course S. Quarter Sec. Corner in Creek on a small Island no post set.
42. 25	Out of Creek on same side Course. S. 30. W. 2
49. 36	B. Oak 12 inches diam <sup>r</sup>
67. 50	Birch. 16. inches diam <sup>r</sup>
72. 00	Creek 150 links wide. Course S. E. still Water.
80. 00	Sugar tree 15 inches diam <sup>r</sup> on very steep. N side of hill. Corner of Secs. 24. & 25. T. 3. S. R. 1. W. This mile Steep Stony poor points of hills. near Creek. Sept 5 <sup>th</sup> 1805.
South 23. 00	East Boundary Sec 25. T. 3. S. R. 1. W. Brook 8 links wide. Course S. E.
38. 80	Sugar tree 12 inches diam <sup>r</sup>
40. 00	Quarter Sec. corner. A Birch 24 in <sup>d</sup> diam <sup>r</sup> bears S. 11. W. 60. Birch 14 N. 51. E. 14. links
57. 50	Creek 200. links wide; Course S. W.
68. 74	W. Walnut 18 inches diam <sup>r</sup>
80. 00	Post post Corner of Secs. 25 & 36. T. 3. S. R. 1. W. A Birch 16. S. 44. W. 19. Birch 14. N. 20. W. 10 links This mile Birch, & Oak timber & ridges, Stony land, near the Creek.
South 3. 00	East Boundary Sec. 36. T. 3. S. R. 1. W. Creek 200 links wide, Course S. E.
12. 80	Birch 16 inches diam <sup>r</sup>
24. 90	Sugar tree 12 inches diam <sup>r</sup>
40. 00	Quarter Sec. post. A W. Oak 14 S. 47. W. 34 links W. Oak 10. N. 12. W. 17. links
40. 88	B. Oak 26 inches diam <sup>r</sup>
48. 50	Creek 100 links wide, Course S. E.
60. 50	Birch 16 inches diam <sup>r</sup>

67. 00 Creek 100 links wide Course S. W. still water.  
 72. 40 Birch 12 inches diam.  
 80. 00 Put Corner Towns 3 & 4. G. R. 1. W. & Corner of Towns  
 3 & 4 G. R. 1. E. A Birch 12. G. 21. W. 5th Birch 18.  
 N. 58. E. 19. high Birch timbered rocky hills near the Creek.

S. Boundary

West Random line G. Boundary Sec. 36. T. 3. G. R. 1. W.  
 25. 50 Creek 100 links wide, Course S. E.  
 40. 00 Temporary Quarter Sec. post.  
 80. 00 Put Temporary post. This mile high Steep. Stony  
 hills. Timber. Birch. Oak. Sugar. Poplar & Dogwood.

West Random line South Boundary Sec. 35. T. 3. G. R. 1. W.  
 1. 00 Creek 100 links wide, Course N. W.  
 19. 00 Same Creek 100 links wide, Course S. E.  
 40. 00 Temporary Quarter Sec. post  
 45. 00 Same Creek, Course N. E.  
 76. 00 Same Creek, Course S. E.  
 80. 00 Put temporary post This mile Steep points of poor  
 hills. Timber-Birch. Oak. Poplar, Gum & Dogwood.

West Random line. South Boundary Sec. 34. T. 3. G. R. 1. W.  
 00. 50 Same Creek 50. links wide, Course N. E.  
 25. 50 Same Creek, Course S. E.  
 29. 00 Out on same side  
 31. 00 Same Creek, Course S. from ct.  
 40. 00 Temporary Quarter Sec. post.  
 80. 00 Temporary post. This mile from Creek. poor Oak & Gum  
 timbered ridges. Stony soil. Dogwood Oak & Hickory underbrush

West Random line G. Boundary G. 33. T. 3. G. R. 1. W.  
 12. 00 Brook 8 links wide, Course S. E.  
 46. 00 Temporary Quarter Sec. post in Drain. Course N. W.  
 61. 00 Drain, Course N. W.  
 80. 00 Put Temporary post This mile poor dry Stony Soil  
 Oak timbered ridges, some dogwood.



T. N<sup>o</sup> 3. S. R. N<sup>o</sup> 1. W<sup>o</sup> 2<sup>nd</sup> Mer.

West	South Boundary of Sec. 31. T. 3. S. R. 1. W.
40. 00	Quarter Sec. temporary post
55. 50	Drain Course S.
66. 50	Brook & links wide Course S.
80. 00	Creek 25 links wide Course S 30 E
81. 50	Intersects W. boundary of this Range 5.25. N. of Brintons Town Corner. This mile dry. W. Oak ridge Some rock & some good soil.
East	True line S. Boundary Sec. 31. T. 3. S. R. 1. W.
41. 50	Quarter Sec. Corner A Gum 12. N. 1. E 31. a W Oak 16 N. 52. E. 41. links
81. 50	Put post Corner Secs 31, 32 T. 3. S. R. 1. W. Birch 14 S. 45. E. 34 lbs. Sugar 8. S. 20. W. 22. On point of rocks.
East	True line N. Boundary Sec. 32. T. 3. S. R. 1. W.
40. 00	Quarter Sec Corner A Poplar 16. S. 51. E. 11. links. A Gum 12. N. 82. W. 10. links.
80. 00	Put Post Corner Secs 32. & 33. T. 3. S. R. 1. W. Sugar 12. S. 48. W. 12. W. Oak. 30. N. 27. E. 51. links. Sept 6 <sup>th</sup> . 1865.
East	South Boundary S. 33. T. 3. S. R. 1. W. true line
40. 00	Put Quarter Sec. Corner. A W. Oak 12 inches diam <sup>r</sup> S. 70. E. 14. a Gum 12. N. 26. W. 21. links.
80. 00	Put post Corner Secs 33. & 34. T. 3. S. R. 1. W. A W. Oak 14 N. 62. E. 29 lbs. W. Oak 14 N. 82. W. 17 links
East	True line S. Boundary S. 34. T. 3. S. R. 1. W.
40. 00	Put Quarter Sec. post on true line. A W. Oak 30. N. 59. W. 22. A Birch 16. N. 81 E. 33. links.
80. 00	Put post Corner Secs 34. & 35. T. 3. S. R. 1. W. A Birch 16. North 73. E. 50. W. Walnut 18 S. 83. lbs E. 60 links on bank of Creek.
East	True line S. Boundary Sec. 35. T. 3. S. R. 1. W.

T. N. 3. S. R. N. 1. W. 2<sup>nd</sup> Mer.

73

40. 00 Put Quarter Sec. post on true line. A Birch 12. N. 78.  
E. 25 links. Birch 8. N. 81. W. 17. links  
80. 00 Put Post Corner Sec. 35 & 36. T. 3. S. R. 1. W. A Sycamore  
18. N. 88. W. 23. Sugar. 12. N. 2. E. 10. links on Bank of Creek.

East True line S. Boundary T. 36. T. 3. S. R. 1. W.  
40. 00 Put Quarter Sec. post A Birch 20. S. 83. W. 18. links A  
Birch 15. N. 16. E. 34. links  
80. 00 Sec. Corner. (Township Corner)

For the N. W. boundaries - See the boundaries of the Townships N. W.

North Between Sec. 31. & 32. T. 3. S. R. 1. W.  
3. 00 Brook 3 links wide Course S. W.  
5. 80 W. Oak 12 inches diam.  
14. 84 W. Oak 14 inches diam  
40. 00 Put Quarter Sec. post C W. Oak 16 S. 82. W. 15. links A  
B. Oak 16. S. 83. E. 35. links  
42. 22 W. Oak 18 inches diam.  
50. 25 Brook 10 links wide Course N. W.  
53. 80 W. Oak 12 inches diam.  
80. 00 Put Corner Sec. 29. 30. 31. 32. T. 3. S. R. 1. W. where a  
W. Oak 30 S. 9. W. 23. W. Oak 12 N. 18. E. 37. links.  
Poor Oak timbered & ridges Stony soil. Dogwood & undergrowth  
many green briars.

West Between Sec. 30. & 31. T. 3. S. R. 1. W.  
4. 70 W. Oak 18 inches diam.  
14. 00 Brook 12 links wide Course. N. E.  
23. 50 Run 5 links wide Course N. E.  
27. 56 W. Oak 14 inches diam.  
37. 35 W. Oak 14 inches diam.  
40. 00 Put Quarter Sec. post. A W. Oak 16. N. 85. E. 18. links  
W. Oak 14. S. 74. W. 25 links.  
53. 00 W. Oak 18 inches diam.  
69. 18 W. Oak 16 inches diam.  
79. 92 W. Oak 24 inches diam.  
81. 33 Intersects West Boundary of this Range 1/4 S. of Winton

T. N. 3. S. R. N. 1. W. 2<sup>nd</sup>. Mer.

	<p>post put Corner Sec? 30. 31. T. 3. S. R. 1. W. A. B. Oak 16. N. 62 N. 23. Gum 18. S. 25. E 31. poor stoney Oak timbered ridges.</p>
<p>East 40. 00 80. 00</p>	<p>Random between Sec? 29. &amp; 32. T. 3. S. R. 1. W. Put Temporary Quarter Sec. post. Put Temporary post. This mile poor Oak timbered ridges. Stoney Soil. Dogwood &amp; Sassafras.</p>
<p><del>West</del> North 7. 38 8. 00 20. 24 36. 75 46. 00 71. 18 78. 00 80. 00</p>	<p>Between Sec? 32. &amp; 33. T. 3. S. R. 1. W. Sugar tree 30 inches diam? Run 8 links wide Course N. E. W. Oak 30 inches diam? Drain Course N. E. Put Quarter Sec. post. A Sugar tree 12. S. 75. E. 29. the Sugar tree 12. S. 52. W. 10. the. B. Oak 24 inches diam? B. Oak 36 inches diam? Intersects E. &amp; W. line 30. N. &amp; 20. W. of temporary post Put post Corner Sec? 28. 29. 32. 33. T. 3. S. R. 1. W. A W. Oak 14 N 39. W. 23. W. Oak 14 S. 75. W. 31. Over W. Oak timbered ridges. then stoney Soil. Dogwood. Oak &amp; Sassafras. land runs on the - poor Country</p>
<p>West 39. 00 79. 80</p>	<p>On true line between Sec? 29. &amp; 32. T. 3. S. R. 1. W. Put Quarter Sec Post on true line A W. Oak 12. S. 72 E 33. W. Oak 15. N. 53. W. 22. Sec. Corner.</p>
<p>North 29. 30 30. 00 33. 56 40. 00 42 00</p>	<p>Between Sec? 29. &amp; 30. T. 3. S. R. 1. W. Poplar 31 inches diam? Brook 20. N. E. Good water. W. Oak 12 inches diam? Put Quarter Sec. post A Sugar tree 16. S. 10 W. 24. the Sugar tree 16. E. 30. links Brook 14 the wide Course. E.</p>

63. 16	W. Oak 18 inches diam?
80. 00	Put Post Corner Sec? 19. 20. 29. 30. J. B. L. R. 1. W. A Gum 18 G. 23. E. 43. Sugar tree 12 N. 46. W. 63. lbs. This mile poor Oak timber & ridges. Logwood, undergrowth
West	Between Sec? 19. & 30. J. B. L. R. 1. W.
7. 00	B. Oak 24 inches diam?
31. 02	W. Oak 30 inches diam?
40. 00	Put Quarter Sec. post A. W. Oak 12. N. 1. E. 32. lbs W. Oak 12. G. 14. W. 16. lbs.
48. 72	W. Oak 12 inches diam?
51. 75	Brook 12. Course S. E.
66. 25.	W. Oak 16 inches diam?
80. 57.	Intersects N. Boundary of this range. 188. S. of Brimtons Sec. Corner. Put post Corner Sec? 19 & 30. J. B. L. R. 1. W. W. Oak 14. A. 21. E. 25, Gum. 10. S. 12. E. 10. Over poor Oak timber & ridges - some Gum, & Logwood, Sassafras, Oak, & Hickory brush
East	Random line between Sec? 20. & 29. J. B. L. R. 1. W.
12. 00	Brook 15. Course S. E. fine water.
40. 00	Put Temporary Quartr Sec. Post
80. 00	Put Temporary post. This mile Stony ridges. Thin Soil Timber - Oak, Birch. Hickory & some Sugar tree. Oct. 2. <sup>nd</sup>
East	Between Sec? 28. & 33. J. B. L. R. 1. W. Random line.
8. 75.	Drain Course N. E.
40. 00	Put Temporary post.
42 00	Brook 40. Course S. E.
80. 00	Put Temporary post. This mile Stony hills. Timber Oak, Birch, & Sugar tree
North	Between Sec? 33. & 34. J. B. L. R. 1. W.
15. 30	W. Oak 12 inches diam?
23. 55	Sugar tree 16 inches diam?
36. 62	Gum 16 inches diam?
40. 00	Put Quarter Sec. post A Sugar tree 12. G. 63. W. 28.



T. N. 3. S. R. 1. W. 2<sup>nd</sup> Mer.

A Birch 12. A 63. E. 52. links  
 51. 00 Brook 8 links wide Course N.E.  
 54. 20 Sycamore 24. inches diam.<sup>r</sup> Mouth of Same Run.  
 56. 00 Creek 40 links wide Course S.E. 15. Ch. bottom.  
 71. 55 W. Oak 14 inches diam.<sup>r</sup>  
 80. 00 Intersects 37. of Temporary post. Put post  
 corner of Sec<sup>s</sup> 27. 28. 33. 34. T. 3. S. R. 1. W.  
 A Sugar tree 10. A 53. W. 14. A Cherry 10. S. 54.  
 E. 20. This mile poor Stony Oak Timbered ridges.  
 Some Birch. & Sugar. Dogwood. Oak. Hickory undergrowth

North  
 15. 64 Gum 14 inches diam.<sup>r</sup>  
 35. 00 W. Oak 12 inches diam.<sup>r</sup>  
 40. 00 Put Quarter Sec. post. A W. Oak 30. V. 25. E. 35.  
 A Sugar tree 16. A 33. W. 28. lks.  
 47. 90 Birch 12 inches diam.<sup>r</sup> Bank of Run. Course. S.E.  
 58. 14 W. Oak 18 inches diam.<sup>r</sup>  
 80. 00 Put post Corner of Sec<sup>s</sup> 21. 22. 27. 28. T. 3. S. R. 1. W.  
 A W. Oak. 15 inches diam.<sup>r</sup> A 39. E. 24. A W. Oak 12  
 in<sup>s</sup> S. 28. W. 53. This mile poor Brushy Stony hills  
 Timber. Oak. Birch. Sugar. Dogwood. & Hickory.

West  
 46. 00 Put Quarter Sec. post. A Birch 16. A 58. W. 15.  
 Birch 12 in<sup>s</sup> S. 66. E. 39. lks.  
 50. 00 Sec Corner.

North  
 7. 82 Hickory 14 inches diam.<sup>r</sup>  
 23. 00 Hickory 36 inches diam.<sup>r</sup>  
 29. 85 Sugar tree 16 inches diam.<sup>r</sup>  
 40. 00 Put Quarter Sec. post. A Sugar tree 12 inches  
 N. 20. W. 21. Sugar tree 12 inches S. 15. W. 19. lks  
 41. 10 Elm 36 inches diam.<sup>r</sup>  
 49. 50 Creek 40 links wide. Course S.E.

76. 68	Hickory 14 inches diam?
80. 00	Intersects E. & M. line 14. W. of Temporary post. Put post Corner of Secs 20. 21. 28. 29. J. 3. J. R. 1. M. A Birch 12 inches. N. 19. M. 8ths Hickory 24 in <sup>d</sup> diam <sup>r</sup> J. 48. E. 8ths This mile poor steep Stony hills. Timber Oak, Hickory, Birch Sugar & Spruce. Dogwood & Oak brush
West	True line between Secs 20. & 29. J. 3. J. R. 1. M.
39. 43.	Put Quarter Sec. post on true line A. B. Oak 36 in <sup>d</sup> diam <sup>r</sup> N. 8. E. 3 lks B. Oak 36 in <sup>d</sup> diam <sup>r</sup> . J. 39. E. 26. lks.
79. 86	Sec. Corner.
East	Random line between Secs 21. & 28. J. 3. J. R. 1. M.
26. 00	Creek 30 links wide Course S. Rapid & Stony.
26. 00	Brook 6 links wide Course S. M.
40. 00	Put Temporary Quarter Sec. post. The line keeps up the last run to the head.
79. 80	Intersects N. & J. line at Post Sec. Corner. This mile poor Stony hills. Timber. Oak, Birch, Sugar. Sum Dogwood. Oak & Hickory Undergrowth.
East	Between Secs 27. & 34. J. 3. J. R. 1. M. Random.
5. 25	Brook 10 links wide Course J.
40. 00	Put Temporary Quarter Sec. post.
75. 25.	Brook 5 links wide Course. J. E. Stony.
50. 00	Put Temporary post. This mile poor Stony Oak timbered ridges. Some Birch Gum & Sugar tree Dogwood. Oak Hickory & Sassafras. brush.
North	Between Secs 34. & 35. J. 3. J. R. 1. M.
2. 50	Out of Creek.
10. 90	W. Oak 36 inches diam <sup>r</sup>
36. 64	Birch. 16. inches diam <sup>r</sup>
44. 00	Put Quarter Sec. post. A Birch 18 in <sup>d</sup> diam <sup>r</sup> J. 6. N. 21. A W. Oak. 18 in <sup>d</sup> diam <sup>r</sup> . N. 82. E. 26. links
	X X X

J. N. B. H. R. N. 1. W. 2<sup>nd</sup> Mer.

45. 66	Brook 10. links wide Course S. W.
54. 48.	W. Oak 12 inches diam <sup>r</sup> .
72. 64	Same Run. Course. S. E.
74. 76	Gum 14 inches diam <sup>r</sup> .
80. 06	Intersects 10. S. & 15 N. of Temporary Post. Corner of Sec <sup>s</sup> 26. 27. 34. & 35. J. N. B. H. R. 1. W. A Birch 14 in <sup>d</sup> diam <sup>r</sup> S. 30. N. 17. A Gum. 14 in <sup>d</sup> diam <sup>r</sup> N. 11. E. 43. This mile poor Stoney hills Timber - Oak, Birch, Gum. &c.
West	True line Between Sec <sup>s</sup> 27. & 34. J. N. B. H. R. 1. W.
59. 93	Put Quarter Sec. Post on true line A. W. Oak 12 in <sup>d</sup> diam <sup>r</sup> S. 7. W. 22. B. Oak 20 in <sup>d</sup> diam <sup>r</sup> N. 31. W. 13 <sup>th</sup>
79. 55	Sec. Corner.
North	Between Sec <sup>s</sup> 26. & 27. J. N. B. H. R. 1. W.
5. 48	W Oak 12 inches diam <sup>r</sup> .
19. 66	W Oak 14 inches diam <sup>r</sup> .
40. 66	Put Quarter Sec. Post. A Birch 14. S. 75. E. 39. A Sugar tree 14 inches diam <sup>r</sup> N 49. W. 5. links.
66. 62	W Oak 15 inches diam <sup>r</sup> .
80. 00	Put Post Corner of Sec <sup>s</sup> 22. 23. 26. 27. J. N. B. H. R. 1. W. A Birch 12 in <sup>d</sup> diam. N 44. W. 14. Birch 10. S. & 8. E. 19. links This mile ridge land. Timber Oak Birch & Sugar tree. Dogwood & Spice bush - Our Soil Continued out the mile between Sec <sup>s</sup> 22 & 27. from the Quarter Sec. Post. where I quit last night. forgot to have a blank for the other half. & now Copy the first half in here.
E	
East	Random line Between Sec <sup>s</sup> 22. & 27. J. N. B. H. R. 1. W.
25. 66	Brook 6. links wide Course S. E.
37. 50	Lick
38. 50	Brook 6 links wide, Course S.
40. 00	Put Quarter Sec. post, Temporary.
64. 17	Brook 8 links wide, Course N. 70. E.



79. 60 Intersects 8 links N. of Post. This mile first half Oak timbered ridge. Last half near the run poor Stony land.

West  
39. 80 True line Between Secs 27. & 22. J. S. S. R. 1. W.  
Put Quarter Sec. post on true line A Birch 12 in<sup>s</sup> diam<sup>r</sup>  
N. 82. W. 24. Ironwood 10 in<sup>s</sup> diam<sup>r</sup>. S. 64. E. 9. lks  
79. 60 Sec. Corner.

East  
40. 00 Random line Between Secs 23. & 26. J. S. S. R. 1. W.  
Put temporary Quarter Sec. post  
80. 00 Put temporary post This mile ridge land. Timber  
Oak, mostly Birch some Sugar tree Gum Ash Poplar  
Spice & Logwood Undergrowth

East  
40. 00 Random line between Secs 26. & 35. J. S. S. R. 1. W.  
Put temporary Quarter Sec. post.  
57. 10 Brook 10 links wide. Course S.  
80. 00 Put temporary post This mile hilly. - timber Birch  
Sugar, Oak, Poplar. &c. Spice & Logwood Undergrowth.

North  
2. 50 Between Secs 35 & 36. J. S. S. R. 1. W.  
Creek 6 links wide. Course E.  
20. 10 Birch 15 inches diam<sup>r</sup>.  
33. 02 Birch 15 inches diam<sup>r</sup>.  
40. 00 Put Quarter Sec. post A Birch 15. S. 45. W. 44.  
a Birch 10 inches diam<sup>r</sup> N. 76. E. 5. lks.  
44. 00 Run 12 links wide S. from A.  
52. 55 Birch 14 inches diam<sup>r</sup>.  
58. 30 Birch 24 inches diam<sup>r</sup>.  
65. 00 Leaves the Run at forks. one from N. E. & one from N. W.  
80. 00 Intersects E. & W. line. 16. S. & 30 E. Put post corner  
of Secs 25. & 26. 35. 36. J. S. S. R. 1. W. A Poplar  
24 in<sup>s</sup> diam<sup>r</sup>. S. 22. W. 15. lks Birch 15 in<sup>s</sup> diam<sup>r</sup>. N. 22. E. 8.  
This mile hilly. timber - Birch, Sugar, Poplar, &  
Logwood & Spice Undergrowth.



J. N. B. L. R. N. 1. M. 2<sup>nd</sup> Mer.

North	Between Secs 25. & 26. J. 3. L. R. 1. M.
19. 26	Berch 14 inches diam <sup>r</sup>
22. 56	Brook & links wide, Course S. M.
36. 07	Mulberry 18 inches diam <sup>r</sup>
40. 00	Put Quarter Sec. post. A. W. Oak 20 in <sup>s</sup> . diam <sup>r</sup> S. 67. N. 37. W. B. Oak 12 in <sup>s</sup> diam <sup>r</sup> S. 67. E. 16. W.
55. 44	Gum 16 inches diam <sup>r</sup>
80. 00	Intersects E. & W. line & links N. of Temporary post Put Post Corner of Secs 23. 24. 25. 26. J. 3. L. R. 1. M. A Berch 12 in <sup>s</sup> diam <sup>r</sup> S. 56. E. 15. W. Berch 8 in <sup>s</sup> diam <sup>r</sup> N. 81. E. 22. W. This mile hilly - Timber Berch Sugar. Poplar. Gum. & Oak. Dogwood & undergrowth stony soil
West	True line between Secs 23. 26. J. 3. L. R. 1. M.
40. 00	Put Quarter Sec. post on true line. Berch 14 in <sup>s</sup> diam <sup>r</sup> A 45. W. 14. Berch 20 in <sup>s</sup> S. 27. E. 30. W.
80. 00	Sec. Corner.
West	True line between 26. & 35. J. 3. L. R. 1. M.
40. 15	Put Quarter Sec post on true line. A Berch 22 in <sup>s</sup> diam <sup>r</sup> S. 87. N. 21. A Berch 18 in <sup>s</sup> diam <sup>r</sup> N. 14. E. 42.
50. 30	Section Corner. Oct 4 <sup>th</sup> .
West	True line between Secs 21. & 28. J. 3. L. R. 1. M.
39. 90	Put Quarter Sec. post on true line A Berch 14 in <sup>s</sup> diam <sup>r</sup> S. 55. N. 11. A Gum 30 in <sup>s</sup> diam <sup>r</sup> N. 36. E. 17.
79. 80	Sec. Corner
East	Random line between Secs 25. & 36. J. 3. L. R. 1. M.
40. 00	Temporary Quarter Sec. Post.
75. 00	Blue river 200 links wide, Course S. E.
80. 08	Intersects & links S. of Sec. Corner. This mile steep rocky hills - timber. Berch. Oak. Sugar. Dogwood & c.
West	True line between Secs 25. & 36. J. 3. L. R. 1. M.
40. 04	Put Quarter Sec. post on true line. A Bush 12 in <sup>s</sup>

80. 08	diam <sup>r</sup> . G. 34. W. 24. lbs Bush 10 in <sup>d</sup> diam <sup>r</sup> . N. 63. E. 18. lbs Section Corner
East 14. 50	Random between Sec <sup>s</sup> 24. & 25. T. 3. G. R. 1. W.
40. 00	Brook & links wide, Course N.
50. 50	Put Temporary Quarter Sec. post.
50. 50	Brook & links wide, Course N.
80. 00	Intersects E. boundary 50 lbs S. of Sec. Corner. This mile hills. Timber Birch, Sugar tree, Poplar, Gum. Dogwood, stony soil
West 40. 00	True line between Sec <sup>s</sup> 24. & 25. T. 3. G. R. 1. W. Put Quarter Sec. Corner on true line A. B. Oak 20 in <sup>d</sup> diam <sup>r</sup> . A. 27. E. 8. A Birch 15 inches diam <sup>r</sup> . G. 33. E. 32. links.
80. 00	Sec Corner.
North 71. 00	Between Sec <sup>s</sup> 23. & 24. T. 3. G. R. 1. W.
7. 34	Brook 10 links wide, Course N. E.
27. 25	W. Oak 24. inches diam <sup>r</sup> .
40. 00	Sugar tree 16 inches diam <sup>r</sup> .
53. 42	Put Quarter Sec. post A Birch 20 in <sup>d</sup> diam <sup>r</sup> . A. 11. E. 20. A Birch 14 in <sup>d</sup> diam <sup>r</sup> . G. 65. W. 35. links.
64. 50	Gum 16 inches diam <sup>r</sup> .
73. 35	Brook 14 links wide Course S. E.
75. 90	B. Walnut 16 inches diam <sup>r</sup> .
80. 00	B. Walnut 18 inches diam <sup>r</sup> .
80. 00	Put 4 post. Corner Sec <sup>s</sup> 13. 14. 23. 24. T. 3. G. R. 1. W. A Birch 12 in <sup>d</sup> diam <sup>r</sup> G. W. 18. A Birch 24 in <sup>d</sup> diam <sup>r</sup> . N. E. 62 lbs This mile strip points of hills, rocky. Timber Birch. Poplar. Sugar Gum. W. Oak & Dogwood & brush underneath
East 2. 50	Random between Sec <sup>s</sup> 13. & 24. T. 3. G. R. 1. W.
40. 00	Brook 150 links wide. Course S. E. little blue.
79. 50	Put Quarter Sec. post temporary Intersects E. Boundary 40. N. of Sec. Corner This mile Birch timber. Stony & rocky - some Sugar. Spice & Simpan. brush

T. N. B. S. R. N. 1. W. 2.<sup>nd</sup> Mer.

West	True line between Sec <sup>s</sup> 13. & 24. T. 3. S. R. 1. M.
39. 75	Quarter Sec. Corner which is a Beech 12 in <sup>s</sup> diam <sup>r</sup> . (marked for plan)
North	Between Sec <sup>s</sup> 13. & 14. T. 3. S. R. 1. M.
2. 26.	Blue river course S. E. 200 links wide.
16. 85	Beech 18 inches diam <sup>r</sup> .
26. 26	Beech 16 in <sup>s</sup> diam <sup>r</sup> .
33. 50	Creek 200 links wide Course S. M.
40. 60	Put Quarter Sec. post A Beech 30. N. 32. E. 12. lks Sugar tree 18 inches diam <sup>r</sup> S. 37. E. 7. links.
48. 00	High ledge of Rocks
51. 72	W. Oak 16 in <sup>s</sup> diam <sup>r</sup> .
56. 50	Brook 20 links wide Course E.
59. 60	Brook 8 links wide. Course S. E.
68. 94	W. Oak 12 inches diam <sup>r</sup> .
80. 00	Put post Corner of Sec <sup>s</sup> 11. 12. 13. 14. T. 3. S. R. 1. M. A W. Oak 56 in <sup>s</sup> diam <sup>r</sup> S. 31. N. 37. A Sugar tree 10 in <sup>s</sup> diam <sup>r</sup> S. 88. E. 41. This mile first half Beech timbering bottom last half very hilly. & rocky. poor land Timber Beech Oak Sugar &c.
East	Random between Sec <sup>s</sup> 12. & 13. T. 3. S. R. 1. M.
18. 50	Blue river course S. 200 links wide.
40. 00	Put temporary Quarter Sec. post.
74. 00	Brook 10 links wide. Course S.
79. 70	Intersects E. boundary 4 links N. of Sec. Corner. This mile Beech timbering ridges - some ridges of Rocks.
West	True line between Sec <sup>s</sup> 12. & 13. T. 3. S. R. 1. M.
39. 85	Put Quarter Sec. Corner on true line A Beech 16 in <sup>s</sup> diam <sup>r</sup> S. 85. E. 9 A Beech 14 in <sup>s</sup> diam <sup>r</sup> S. 70. N. 20
79. 70	Sec. Corner.
West	Random between Sec <sup>s</sup> 11. & 14. T. 3. S. R. 1. M.
10 75	Brook 8. links wide, Course S. E.
40. 00	Put temporary Quarter Sec. post.



80. 00	Put temporary post. This mile poor Stony brushy hills - Timber Oak Birch Sugar tree & Dogwood, Oak & Hickory. brush. briars & vines.
West	Random between Secs 14. & 23. T. 3. S. R. 1. W.
25. 00	Brook 6 links wide, Course S. E.
40. 00	Put Temporary Quarter Sec. post.
74. 00	Brook 15 links wide Course S. E.
80. 00	Put temporary post This mile poor rocky hills Timber Oak & Birch.
North	Between Secs 22. & 23. T. 3. S. R. 1. W.
4. 50	Brook 12 links wide Course N. 60. E.
21. 84	W. Oak 18 inches diam <sup>t</sup>
38. 25	B. Oak 24 in <sup>t</sup> diam <sup>t</sup>
40. 00	Put Quarter Sec. post. A W. Ash 12 in <sup>t</sup> diam <sup>t</sup> N. 62 E. 19. Dogwood 9 in <sup>t</sup> diam <sup>t</sup> N. 45. W. 18. links.
57. 95	W. Oak 28 in <sup>t</sup> diam <sup>t</sup>
65. 00	Brook 10. links wide Course E.
75. 68	Birch 8 inches diam <sup>t</sup>
80. 00	Intersects E. & W. line 20 W. of temporary post. Put Corner Secs 14. 15. 22. 23. T. 3. S. R. 1. W. A Birch 16 inches diam <sup>t</sup> S. 53. E. 35. W. Walnut 18 in <sup>t</sup> diam <sup>t</sup> N. 88. W. 39. This mile poor Stony hills Timber Oak Birch. Sum.
North	Between Secs 14. & 15. T. 3. S. R. 1. W.
7. 00	Brook 8 links wide, Course. S. E.
11. 04	W. Oak 16 inches diam <sup>t</sup>
21. 92	W. Oak 18 in <sup>t</sup> diam <sup>t</sup>
46. 00	Put Quarter Sec. post A W. Oak. 12 inches diam <sup>t</sup> N. 78. E. 12. A W. Oak 14 in <sup>t</sup> diam <sup>t</sup> S. 60. W. 24. links.
49. 35	W. Oak 16. inches diam <sup>t</sup>
62. 50	Brook 12 links wide, Course E.
80. 00	Intersects 10 N. & 16 W. of temporary post. Put Corner of Secs 10. 11. 14. 15. T. 3. S. R. 1. W. A Sugar tree 14 in <sup>t</sup> diam <sup>t</sup> N. 64. E. 27. A Sugar tree 12 in <sup>t</sup> diam <sup>t</sup> S. 58. W. 28.



T. & S. G. Co. No 1. W. 2<sup>nd</sup> Mer.

	This mile poor Honey hills - timber. Birch Sugar Oak very bushy - Dogwood. Spice & Sassafras. vines - Lime Stone
North	Between Secs 10. & 11. T. 3. S. R. 1. W.
28. 95	Sum 18 inches diam. <sup>r</sup>
40. 00	Put Quarter Sec. post at N. Oak 12 in. diam. <sup>r</sup> bears S. 14. E. 36. Poplar 12 in. diam. <sup>r</sup> S. 9. E. 36. lks
47. 04	Poplar 28 inches diam. <sup>r</sup>
80. 00	Put post Corner Secs 2. 3. 10. 11. T. 3. S. R. 1. W. A. Hickory 12 in. diam. <sup>r</sup> S. 39. E. 26. A Sugar tree. 16 in. diam. <sup>r</sup> S. 56. W. 53. links. This mile near a dividing ridge. thin soil. Timber - Oak Hickory Sugar-tree, Dogwood & Sassafras. brush.
West	True line Between Secs 11. & 14. T. 3. S. R. 1. W.
40. 08	Put Quarter Sec. post on true line. A Sugar 12 in. diam. <sup>r</sup> N. 12. E. 37. A Sugar 12 in. diam. <sup>r</sup> S. 1. E. 29.
80. 10	Section Corner.
West	Random line between Secs 10. & 15. T. 3. S. R. 1. W.
36. 00	Grain Course S. 30. E.
40. 00	Put Temporary Quarter Sec. post.
43. 50	Brook 10. links wide Course S. E.
68. 51	Brook 8 links wide. Course S. E. line keeps out at head of Run
80. 07	Intersects S. & G. & 30 W. of Temporary post. <small>Return 14823 15722 &amp; 21022 omitted See end of this Township</small>
East	True line between Secs 15. & 22. T. 3. S. R. 1. W.
46. 15	Put Quarter Sec. post at N. Oak 12 in. diam. <sup>r</sup> N. 88 E 17. lks N. Oak 12 in. diam. <sup>r</sup> S. 54. W. 31. lks.
80. 30	Section Corners.
North	Between Secs 15. & 16. T. 3. S. R. 1. W.
26. 10	N. Oak 24 in. diam. <sup>r</sup>
33. 75	N. Oak 20 inches diam. <sup>r</sup>
46. 00	Put Quarter Sec. post. An Elm 15 in. diam. <sup>r</sup> S. 74 E. 31. A N. Oak 15 in. diam. <sup>r</sup> N. 89. W. 27. lks.

49. 20	W Oak 24 inches diameter
54. 70	B. Oak 20 inches diam <sup>r</sup>
70. 23.	W. Oak 16 inches diam <sup>r</sup>
80. 00	Intersects E. & W. line 20 W. of Temporary post & 30 E. Put Post Corner Sec <sup>s</sup> 9. 10. 15. & 16. J. 3. G. R. 1. W. A W Oak 12 in <sup>s</sup> diam <sup>r</sup> S. 27. E. 13. A B. Oak 15 in <sup>s</sup> diam <sup>r</sup> S. 62. W. 18. This mile on high Oak timbered ridge. Poor Stony soil, but little undergrowth.
East	True line between Sec <sup>s</sup> 10. & 15. J. 3. G. R. 1. W.
40. 00	Quarter Sec. Corner on true line A B. Oak 20 in <sup>s</sup> diam <sup>r</sup> N. 48. E. 5. A W. Oak 16 in <sup>s</sup> S. 2. W. 8. links.
80. 30	Section Corner.
North	Between Sec <sup>s</sup> 9. & 10. J. 3. G. R. 1. W.
15. 50	W. Oak 16 in <sup>s</sup> diam <sup>r</sup>
26. 23.	Sugar tree 18 inches diam <sup>r</sup>
33. 12	W. Oak 12 inches diam <sup>r</sup>
40. 00	Put Quarter Sec. post A B. Oak 22 in <sup>s</sup> N. 79. W. 30 A Dogwood S. 76 E. 25. lks.
59. 50	W Oak 24 in <sup>s</sup> diam <sup>r</sup>
66. 00	W. Oak 30 inches diam <sup>r</sup>
79. 50	Poplar 24 inches diam <sup>r</sup>
80. 00	Put Post Corner Sec <sup>s</sup> 3. 4. 9. 10. J. 3. G. R. 1. W. A Poplar 18 in <sup>s</sup> S. 8. E. 39. A Gum 10 in <sup>s</sup> S. 27. W. 26. This mile first half E. side poor Oak ridge last half on top of W. side of very brushy ridge. Some Oak Chesnut. &c. Many vines & briars - Poor Rocky Country.
West	Random line between Sec <sup>s</sup> 9. & 16. J. 3. G. R. 1. W.
40. 00	Put Temporary Quarter Sec. post
72. 00	Brook 6 links wide, Course N. high rocks.
80. 00	Put Temporary post. This mile high. Oak Hickory timbered ridges. Dogwood & Sassafras brush; thin soil.
West	Random between Sec <sup>s</sup> 16. & 21. J. 3. G. R. 1. W.

T. 3. S. R. 1. N. 2<sup>nd</sup> Mer.

26.00	Brook 6 links wide, Course S. W.
40.00	Put temporary Quarter Sec. post.
64.00	Drain. Course S. E.
85.00	Put temporary post This mile from Oak timbered ridges. Dogwood. Oak. Hickory, & Sapapas, brush.
North	Between Secs 20. & 21. T. 3. S. R. 1. N.
11.20	W. Oak. 16 inches diam.
19.00	Creek 30 links wide. Course E. rocky. 8. cl. bottom.
25.17.	Sugar tree 12 inches diam.
40.00	Put Quarter Sec. post. A Birch 14 in. S. 18. N. 25. Birch 20 in. diam. N. 27. W. 30. links.
45.60	W. Oak 20 in. diam.
65.90	W. Oak 24 in. diam.
80.00	Intersects C. N. & C. E. of temporary post. Put post Corner Secs 16. 17. 20. 21. T. 3. S. R. 1. N. A B. Oak 30 in. S. 83. E. 23. A B. Oak 28 in. S. 76. W. 20. This mile ridge land - timber Oak some Birch & Dogwood. Sapapas undergrowth.
East	True line between Secs 16. & 21. T. 3. S. R. 1. N.
39.97	Quarter Sec. Corner A W. Oak 20 in. N. 38 E. 28. lks. A W. Oak 15 in. S. 32. W. 33. lks.
79.94	Section Corner.
North	Between Secs 16. & 17. T. 3. S. R. 1. N.
12.78	Poplar 18 in. diam.
29.10	W. Oak 18. inches diam.
40.00	Put Quarter Sec. post. A W. Oak 16 in. N. 65. E. 35. A W. Oak 16 in. S. 55. W. 5. links.
80.00	Intersects 15 S. & 8. E. of temporary post. Put Corner Secs 8. 9. 16. 17. T. 3. S. R. 1. N. A Birch 12 in. N. 10. W. 19. A Birch 15 in. S. 32. E. 62. lks. This mile on high dry Oak timbered ridge thin Soil. Dogwood & Sapapas brush.

East	True line between Secs. 9. & 16. T. 3. S. R. 1. W.
39. 96	Put Quarter Sec. post on true line. A W Oak 18 in. S. 63.
	N. 39. A W Oak 24 in. N. 80 E. 50. lks.
79. 92	Sec. Corner.
North	Between Secs. 8. & 9. T. 3. S. R. 1. W.
7. 20	W Oak 14 inches diam. <sup>r</sup>
10. 00	Brook 8 links wide Course N. W.
19. 65	B. Oak 16 inches diam. <sup>r</sup>
26. 00	Brook 10 links wide Course N. E.
33. 20	Spring, Course E.
40. 00	Put Quarter Sec. post. A W Oak 15 in. N. 82 E. 31.
	A W Oak 12 in. N. 5. W. 35. lks.
49. 50	B. Oak 18 inches diam. <sup>r</sup>
56. 17	Lynn 18 in. diam. <sup>r</sup>
59. 00	Brook 10 links wide Course E. fine water.
63. 00	Spring, Course S. E.
80. 00	Put Corner Secs. 4. 5. 8. 9. T. 3. S. R. 1. W.
	On very brushy hill no timber near this mile. Poor rocky hills. - but little timber - many brush, briars, & vines.
West	Random between Secs. 8. & 17. T. 3. S. R. 1. W.
40. 00	Put temporary Quarter Sec. post
60. 00	Drain, Course S. E.
71. 50	Drain, Course S. E.
78. 00	Ledge of Rocks A Spring under them Course E.
80. 00	Put Temporary post. This mile poor Oak timber & ridges Stony. Dogwood & Sassafras.
West	Random between Secs. 17. & 20. T. 3. S. R. 1. W.
8. 00	Brook 8 links wide Course E.
40. 00	Put temporary Quarter Sec. post
65. 50	Drain, Course S.
72. 50	Brook 30 links wide Course S. E.
80. 00	Put temporary post. This mile first half poor broken hills - timber Oak Last half better land. timber Oak Birch Sugar. Dogwood & under growth



T. S. I. R. N. 1. N<sup>o</sup> 2.<sup>nd</sup> Mer.

North	Between Sec. 19. & 20. T. S. I. R. N. 1. N <sup>o</sup> 2. <sup>nd</sup> Mer.
8. 30	Sum 20 inches diam.
14. 00	High ridge of Rocks.
20. 00	Brook 16 links wide, Course S. E.
26. 50	B. Oak 30 in. diam.
28. 10	W. Oak 30 in. diam.
40. 00	Put Quarter Sec. post A Sugar tree 16 in. S. 44. E. 17. A Birch 10 in. N. 8. W. 30. Sks.
43. 30	Birch 14 inches diam.
55. 00	Drain, Course S. E.
55. 96	Sugar tree 16 in. diam.
80. 00	Intersects E. & W. line 30 W. of Temporary post Put post Corner of Sec. 17. 18. 19. 20. T. S. I. R. N. 1. N <sup>o</sup> 2. <sup>nd</sup> Mer. This Corner is a Sugar tree 10 inches diam. This mile midling soil. timber - Oak. Birch. Sugar tree, Poplar & Lodges of Rock. some.
East	Between Sec. 17. & 20. T. S. I. R. N. 1. N <sup>o</sup> 2. <sup>nd</sup> Mer. on true line
40. 15	Put Quarter Sec. post A W. Oak 24 in. S. 47. W. 61. A W. Oak 20 in. diam. N. 5. E. 53. Sks.
80. 30	Section Corner.
West	Between Sec. 18. & 19. T. S. I. R. N. 1. N <sup>o</sup> 2. <sup>nd</sup> Mer.
7. 58	Birch 12 in. diam.
20. 65	Birch 12 in. diam.
40. 00	Put Quarter Sec. post. A Birch 16 in. N. 53. E. 13. A Poplar 40 in. S. 48. W. 13. Sks.
46. 95	W. Oak 18 inches diam.
54. 00	Brook 15 links wide Course N. E.
65. 80	W. Oak 18 inches diam.
80. 30	Intersects W. boundary of this range 3. 88. links S. of Brentons post. Put post Corner of Sec. 18. 19. T. S. I. R. N. 1. N <sup>o</sup> 2. <sup>nd</sup> Mer. A W. Oak 16 in. S. 45. E. 56. A B. Oak 12 in. diam. N. 65. E. 45. Sks.
	This mile ridge land midling quality - timber Oak Birch Hickory Poplar Sugar. & Spice & Dogwood shrub. Oct. 8. 1805.

North	Between Secs 17. & 18. T. 3. S. R. 1. W.
5.70	Hickory 28 inches diam.
15.00	Brook 20 links wide. Course S. E.
21.50	Spring, Course W.
25.90	W. Oak 24 in. diam.
40.00	Put Quarter Sec. post. A Birch 14 in. N. 44. E. 23. links A Birch 24 in. S. 29. W. 17. lks
50.00	Brook 14 links wide Course. S. W.
53.60	Sugar tree 16 in. diam.
57.50	Leaves Brook one fork from N. E. & one from N. W.
73.50	Hickory 24 in. diam.
80.00	Intersects 20. W. & 8. S. of temporary post. Put Corner of Secs 7. 8. 17. & 18. T. 3. S. R. 1. W. A Gum 12 in. S. 47. W. 26. <sup>A Gum 12 in. W. 19 lks</sup> This mile ridge sandy - stony soil. some bottom on the Brook. Timber Oak, Gum, &c.
East	True line between Secs 8. & 17. T. 3. S. R. 1. W.
40.10	Put Quarter Sec. post on true line A. W. Oak. 20 in. S. 67. W. 20. A Birch 10 in. S. 76. E. 47. links.
80.20	Sec. Corner.
West	Between Secs 7. & 18. T. 3. S. R. 1. W.
19.00	Brook 8 links wide, Course S.
19.90	Elm 30 inches diam.
29.50	Sugar tree 14 inches diam.
40.00	Put Quarter Sec. post. A W. Oak 18 in. N. 52. E. 13. lks A Sugar tree 14 in. S. 49. W. 30. lks.
45.25	W. Oak 30 inches diam.
59.82	B. Oak 30 in. diam.
64.00	Brook 20 links wide. Course S. E.
73.12	W. Oak 30 in. diam.
80.63	Intersects West boundary of this Range 3. 78. S. of Brentons. post. Put Corner Secs 7. & 18. T. 3. S. R. 1. W. A Gum 24 in. S. 47. E. 30. A Birch 16 in. N. 48. E. 56. lks This mile poor rocky & brushy. Oak timbered & ridges.

T. N. 3. S. R. N. 1. M. 2<sup>nd</sup> Mer

North	Between Sec. 7. & 8. T. 3. S. R. 1. M.
27. 45	Gum 18 inches diam.
40. 00	Put Quarter Sec. post. A B. Oak 24 in. diam. N. 75. W. 24. links. A W. Oak 30 in. S. 47. E. 52. links.
53. 56	Poplar 12 in. diam.
63. 39.	Chesnut 12 in. diam.
75. 89.	Chesnut 40 in. diam.
86. 00	Put Post Corner Sec. 5. 6. 7. 8. T. 3. S. R. 1. M.
	A Gum 19 in. S. 3. W. 63. A W. Oak 14 in. N. 45. E. 43. This mile first half Oak ridges poor land & descends S. last half poor brushy ridges - little timber - many vines

West	Between Sec. 6. & 7. T. 3. S. R. 1. M.
1. 35	B. Oak 24 inches diam.
20. 96	Sugar tree 14 in. diam.
29. 12	Poplar 20 inches diam.
40. 00	Put Quarter Sec. post. A Poplar 16 in. S. 58. W. 10. A Poplar 12 in. diam. N. 29. W. 84. links.
51. 14	W. Oak 18 inches diam.
66. 90	W. Oak 18 inches diam.
80. 14	Intersects N. Boundary of this Range. 3. 24 lbs. S. of Buntons Post. Put Corner of Sec. 6. & 7. T. 3. S. R. 1. M. A Gum 12 in. N. 11. W. 29. A W. Oak 18 in. S. 24 W. 27. lbs This mile poor brushy hills Timber. Oak &c.

North	Between Sec. 5. & 6. T. 3. S. R. 1. M.
3. 62	B. Oak 24 inches diam.
24. 75	W. Oak 16 inches diam.
27. 54	Brook 6 links wide, Course N. W.
36. 75.	W. Oak 12 inches diam.
46. 00	Put Quarter Sec. post A W. Oak 14. in. diam. S. 37. W. 34 lbs. A W. Oak 24 in. - N. 16. W. 51.
50. 40	Poplar 30 in. diam.
81. 32	Intersects N. Boundary of this Town 10 links N. of Sec. Corner, hits so near that I hit the Corner of



	Sec. 31. 32. T. 2. S. R. 1. W. be Corner of Sec. 5. & 6. T. 3. S. R. 1. W. in brushy ridge and the Quarter Sec. Corner is Corner of Quarter Sec. in both Towns. This mile poor & very brushy ridges - but little timber. Most Oak. many grape vines & briars.
East 40. 00	Random line between Sec. 5. & 8. T. 3. S. R. 1. W. Drain Course S. 76. E. put temporary Quarter Sec. post in Drain.
50. 20	Intersects N. & S. line 10. S. of Post. This mile poor brushy ridges.
West 40. 10	True line between Sec. 5. & 8. T. 3. S. R. 1. W. Put Quarter Sec. post on true line A Birch 15 in. N. 13. E. 24. A Birch 15 in. diam. S. 11. E. 21.
80. 20	Section Corner poor brushy land.
North 15. 21	Between Sec. 4. & 5. T. 3. S. R. 1. W. Chesnut Oak 30 in. diam.
31. 53	B. Oak 30 in. diam.
40. 00	Quarter Sec. post A B. Oak 30 in. diam. S. 55. E. 25. A Logwood 10 in. diam. N. 20. E. 27. links.
58. 75	Brook 15 links wide Course E.
80. 10	Intersects N. Boundary of this Town 28. W. of Sec Corner Put post Corner of Sec. 4. & 5. T. 3. S. R. 1. W. A W. Oak 14 in. S. 4. E. 30. A Birch 12 in. diam. N. 17. E. 14. This over poor brushy hills some Oak & Chesnut - Oak, Hickory, Sassafras & Grape vines This Corner stands so near the Corner in T. 2. that the Quarter Sec. post on each side E. & W. are for both Towns
East 40. 00	Random between 4 & 9. Sec. T. 3. S. R. 1. W. Put temporary Quarter Sec. post
54. 50	Brook 15 links wide Course N. E. Oct. 9. 1805.
80. 08	Intersects N. & S. line 20 N. of Sec. Corner. This mile poor brushy hills. timber thin. some Oak & Chesnut, many brush & vines briars & rocks



T. N. 3. S. R. N. 1. W. 2<sup>nd</sup> Mer.

West	True line between Sec. 4. & 9. T. 3. S. R. 1. W.
40. 04	Put Quarter Sec. Corner on true line. A Sugar 12 in?
	S. 14. E. 45. A Sugar 12 in? 42. N. & 16. W. links
80. 00	Section Corner.
North	Between Sec. 3. & 4. T. 3. S. R. 1. W.
19. 50	Brook 18 links wide Course N. E.
23. 57	Hickory 24 in? diam?
34. 62	W. Oak 16 in? diam?
40. 00	Put Quarter Sec. Post A Sugar 18 in? N. 17. W. 21.
	a Sugar tree 14 in? S. 1. E. 22. links.
49. 02	Birch 16 in? diam?
55. 00	Creek 60 links wide Course S. E. 12 Chains bottom.
62. 70	Sugar 28 in? diam?
80. 00	Intersects N. Boundary of this Town 64. links W. of Sec. Corner Put Post Corner Sec. 3. & 4. T. 3 S. R. 1. W. A Sugar tree 14 in? S. 58. W. 10. W. Oak 10 in? S. 31 E. 36. This mile hilly & brushy. poor Stony Soil - timber Oak Chesnut. Poplar. last half Birch & Sugar. Spice Herb. & Dogwood brush.
East	Random Between Sec. 3. & 10. T. 3. S. R. 1. W.
21. 50	Brook 10 links wide Course N. W.
40. 00	Put temporary Quarter Sec. Post.
68. 70	Drain. Course N.
80. 30	Sec. Corner 20 N. of Post. This mile poor thinly timbered. Oak. ridges much brush & vines. Stony & very poor.
West	True line between Sec. 3. & 10. T. 3. S. R. 1. W.
40. 15	Put Quarter Sec. Post A Gum 12 in? N. 55. E 48. lks
	Poplar 12 in? S. 21. lks This Corner stands in poor brushy hill.
80. 30	Section Corner.
North	Between Sec. 2. & 3. T. 3. S. R. 1. W.
11. 25	Mulberry 24 in? diam?

40. 11 Put Quarter Sec. post at Birch 14 in? N. 54. W. 31.  
A Sugar-tree 12 in? diam? at 89. E. 11. lks.  
48. 00 Creek 60 links wide Course E 15 chains bottom  
49. 70 Birch 24 inches diam?  
76. 30 Poplar 40 inches diam?  
79. 63 Intersects A. Boundary of this Town 35 links E of Sec.  
post Put Post Corner of Sec? 2. & 3. J. 3. S. Co. 1. W.  
A Birch 12 in? S. 17. W. 46. Birch 10 in? N. 5. E.  
27. This mile hilly land. Timber - Birch, Oak, Sugar  
Gum & Dogwood. Spice, Birch, Oak & Hickory brush

East Random line between Sec? 2. & 11. J. 3. S. Co. 1. W.  
40. 00 Put temporary Quarter Sec. post.  
49. 10 Brook 8 links wide Course N. E.  
51. 40 Brook 5 links wide Course N. W.  
65. 75 Creek 150. links wide Course S. Little blue river still water  
80. 00 Put temporary post. This mile hilly - Timber Birch  
Sugar. Oak some Poplar. Dogwood & Spice brush &  
Sassafras undergrowth

North Between Sec? 11. & 12 J. 3. S. Co. 1. W.  
62. 3 W. Oak 30 in? diam?  
35. 60 W. Oak 14 in? diam?  
40. 00 Put Quarter Sec. post. A Sugar-tree 16 in? diam?  
N. 86. W. 28. A W. Oak 30 in? N. 68. E. 42. lks.  
47. 25 B. Oak 24 in? diam?  
63. 00 Blue river 200. links wide Course S. 70. E.  
75. 00 Sugar-tree 12 in? diam?  
80. 00 Intersects E. & W. line 20. E. & 15. N. of temporary  
post. Put Post Corner Sec? 1. 2. 11. 12 J. 3 S. Co 1. W.  
A Birch 24 in? diam? S. 6. W. 32. A Birch 16 in?  
N. 79. E. 18. This mile S. of Creek on high ridge. timber  
Birch. Sugar. Oak. Poplar N. of Creek low brush hill & ridge

West True line between Sec. 2. & 11. J. 3. S. Co. 1. W.  
40. 10 Put Quarter Sec post on true line. A Sugar 12 in?

Journ N<sup>o</sup> 3. T. R. M. W. L. 2<sup>nd</sup> Mer.

80. 20	At 73. N 20. at Sugar 12 in? S. 50. E. 33. lks Sec. Corner.
East	Random between Sec? 1. & 12. T. R. M. W. L. 1. M.
33. 50	Creek 150 links wide Course N. E. Little Blue river rapids
41. 00	Put temporary Quarter Sec post.
50. 00	Little Blue river 200. links wide Course S. M.
79. 50	Intersects E. Boundary 30. N. of Sec. Corner. This mile Birch timbered & ridges Some Sugar tree. Wood open.
West	True line between Sec? 1. & 12. T. R. M. W. L. 1. M.
39. 90	Put Quarter Sec. post on true line where a Birch 24 in? S. 39. E. 39. lks Maple 14 in? diam? N. 6. M.
79. 80	Sec. corner.
North	Between Sec? 1. & 2. T. R. M. W. L. 1. M.
14. 50	Birch 30 inches diam?
18. 50	Creek 150 links wide Course S. M.
26. 50	Same Creek. Course S. E.
31. 15	Elm 18 in? diam?
40. 00	Put Quarter Sec. post A Birch 15 inches S. 53. E. 56. A Birch 15 in? N. 71. W. 36. links.
41. 50	Spring. Course N.
43. 94	Birch 12 inches diam?
56. 50	Birch 24 in? diam?
73. 95	Sugar tree 14. inches diam?
79. 63	Intersects N. Boundary of this Town at Post. Sec. corner which is corner of 1. & 2. T. R. M. W. L. 1. M. This mile Birch timbered & ridges.
	Put Quarter Sec. post on N. Boundary of Sec. 2. 17 1/2 E. of Quarter Sec. S. for T. 2. A Sycamore 40 in? S. 7. W. 5 A Sycamore 20 in? N. 3. W. 16. lks.
	Put Quarter Sec post on N. Boundary of Sec. 3. T. R. M. W. L. 1. M. 16. N. of Quarter Sec. Corner for T. 2. A Birch 15. S. 46. E. 29. links.

		A B. Oak, 24 in. N. 51. E. 52. links. Oct. 10 <sup>th</sup> 1805.
		Put Quarter Sec. post on N. Boundary of Sec. 4. T. 3. S. R. 1. M. 42. links West of Quarter Sec. Corner for T. 2. S. R. M. An Elm 14 in. N. 20. M. 20. A Birch 16 inches diam. S. 31. E. 8. links. Surveyed by C. Buckingham
*	East 40. 10 80. 20	On true line between Secs 14. & 23. T. 3. S. R. 1. M. Put Quarter Sec. post. A B. Oak 18 in. S. 73. N. 22. A Maple 14 inches diam. N. 5. E. 17. Section Corner.
	West 40. 00 80. 00	On Random between Sect 15. & 22. T. 2. S. R. 1. M. Set temporary fr. Sec. post. Put temporary post first half on N. side & last half on top of an Oak timbered ridge poor stony land.
	North 3. 30 11. 18 33. 76 40. 00 44. 04 59. 26 80. 00	Between Sects 21. & 22. T. 3. S. R. 1. M. W. Oak 16 inches diam. W. Oak 18 inches diam. W. Oak 16 inches diam. Set Quarter Sec. Post. A W. Oak 14 inches, S. 3. E. 20. & a W. Ash 12 inches diam. N. 31. W. 15 links W. Oak 16 inches diam. Brook 8 links wide, course N. Intersects 8. S. & 30 W. of temporary post. put Post Corner of Sects 15 16. 21. 22. T. 3. S. R. 1. M. Gum 15 inches diam. S. 40. E. 23. & a W. Oak 18 in. diam. N. 33. W. 41. This mile poor Oak timbered ridges.
*	West 40. 00 78. 00 80. 00	On S. Boundary of Sec. 32. T. 3. S. R. N. 1. M. Set Quarter Sec. temporary post. Brook 5. lks. wide. Course S. W. Rocky. Set temp. post. This mile on high dry post hill. Timber Oak Hick. & Dogwood.



I certify that the foregoing transcript of the field notes of Township No 3 South Range & No 1 W. and Mer Indiana, has been compared with the Original notes in this Office, and found to be correct:

Surveyor General's Office,  
Cincinnati, Aug 5. 1839

E. S. Deering  
Surgeon

- North Between Sec. 1 & 2, T 3 S. R 1 W
- 14.50 a Beech 30 in. dia.
- 18.50 a Creek 150 yds. wide Cr. S. W.
- 26.50 same Creek Course S. E.
- 31.15 an Elm 18 in. dia.
- 40.00 At the q. Sec. post, from which a  
Beech 15 in. dia. bears S 53 E 56 yds. dist. to a  
do 15 " " " N 71 W 36 " "
- 41.50 a Spring Course West
- 43.94 a Beech 12 in. dia.
- 56.50 a do 24 " "
- 73.95 a Jugastea 14 in. dia.
- 79.63 Intersected the N. boundary of this Town at post  
Section Corner which is corner of T 3 S. R 1  
W - This mile Beech timbered ridges.